

VELTEK ASSOCIATES, INC.

## **DECON-AHOL WFI Formula**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/24/2011 Revision date: 04/18/2017 Supersedes: 02/08/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Mixture : DECON-AHOL WFI Formula Product name Product code VEL-104-NONAEROSOL 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Decontaminant Industrial/Professional use spec : For professional use only 1.3. Details of the supplier of the safety data sheet Veltek Associates, Inc. In Canada Distributed by: 15 Lee Blvd CCR Malvern, PA 19355-1234 USA 200 Terence Matthews T +1 610-644-8335 - F +1 610-644-8336 Kanata, ONT K2M 2C6 vai@sterile.com Telephone: 613-591-0044 1.4. **Emergency telephone number** Emergency number : CARECHEM 24 call: 1-866-928-0789 **SECTION 2: Hazards identification** : Clear liquid. Appearance : WARNING Emergency overview Flammable liquid and vapor. Causes eye irritation. Prolonged or repeated contact may dry skin and cause irritation. May cause central nervous system effects. **OSHA** regulatory status : This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication). Potential health effects : Inhalation. Ingestion. Skin contact. Eye contact. Routes of exposure : Causes eye irritation. Eyes : Prolonged or repeated contact may dry skin and cause irritation. Defats the skin. Skin : Vapors may cause drowsiness and dizziness. May cause central nervous system Inhalation effects. : Swallowing or vomiting of the liquid may result in aspiration into the lungs. Be aware Ingestion that symptoms of chemical pneumonia (shortness of breath) may occur several hours after exposure. Target organs : Eyes. Skin. Respiratory system. Central nervous system. Chronic effects : None known. Signs and symptoms Corneal damage. Conjunctivitis. Defatting of the skin. Rash. Irritation. Symptoms can include irritation, redness, scratching of the cornea, and tearing. Drowsiness and dizziness. The product components are not classified as environmentally hazardous. However, Potential environmental effects this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. **SECTION 3: Composition/information on ingredients** 

3.1. Substance Not applicable Version: 4.0

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2.	Mixture		
Name		Product identifier	%
Propan-	2-ol	(CAS No) 67-63-0	68.0 – 72.0

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If symptoms develop obtain medical attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop obtain medical attention.
First-aid measures after ingestion	: Get immediate medical attention. Rinse mouth. Do NOT induce vomiting. Do not give an unconscious person anything to drink.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Repeated and/or prolonged skin contact may cause irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
1.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	Des neuroles Centres d'avide. Alestes resistent (serve
suitable extinguishing media	: Dry powder. Carbon dioxide. Alcohol resistant foam.
Jnsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the st	
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: May form flammable/combustible vapour-air mixture when heated.
Reactivity	: Stable under normal conditions.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.
SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective ed	uipment and emergency procedures
General measures	: Remove ignition sources. Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
5.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ensure adequate ventilation. Avoid inhalation of vapors.
5.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters.
.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	<ul> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li> </ul>
	· - /
6.4. Reference to other sections	

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.	
7.2. Conditions for safe storage, including	. Conditions for safe storage, including any incompatibilities	
Technical measures	: Keep away from open flames, hot surfaces and sources of ignition.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep in fireproof place. Keep container tightly closed.	
Incompatible products	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Oxidizing materials, combustible materials, halogens, peroxides and metal salts.	

### 7.3. Specific end use(s)

Decontaminant.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Propan-2-ol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

### 8.2. Exposure controls

Appropriate engineering controls	: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Personal protective equipment	: Avoid all unnecessary exposure. Wash hands thoroughly after handling.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Goggles.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>In case of inadequate ventilation: Use an approved air purifying respirator to control exposure.</li> <li>Follow respirator protection requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.</li> </ul>
Thermal hazard protection	: Not required for normal conditions of use.
Environmental exposure controls	<ul> <li>Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.</li> </ul>
Other information	: Do not eat, drink or smoke during use. Do not breathe Vapors. Do not eat, drink or smoke when using this product.

#### **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties 9.1. Physical state : Liquid Appearance : Clear. Color : Colorless Odor : mild;alcohol Odor threshold : No data available : 5.5 - 7.5 pН Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : Not applicable : 180.5 °F (82.5 °C) **Boiling point** Flash point : 64.9 °F (18.3 °C)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Self ignition temperature	: 750.2 °F (399 °C)
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 3.7 - 4.1 kPa @ 20°C (Propan-2-ol)
Relative vapor density at 20 °C	: 1.6 Relative density, gas (air=1)
Relative density	: 0.872 – 0.883
Density	: No data available
Solubility	: Miscible.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 2.1 cP @ 25°C (Propan-2-ol)
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: 2.5 - 12 vol %
9.2. Other information	
No additional information available	

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
Stable u	Stable under normal conditions.		
10.2.	Chemical stability		
Stable ι	le under normal conditions.		
10.3.	Possibility of hazardous reactions		
Combu	bustible when heated.		
10.4.	Conditions to avoid		
Direct s	ct sunlight. Extremely high or low temperatures. Open flame.		
10.5.	Incompatible materials		
Strong acids. Strong bases. Oxidizing agents. Halogens. Peroxides. Metallic salts.			
10.6.	Hazardous decomposition products		
	on monoxide. Carbon dioxide.		
SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		
Acute to	e toxicity : Not classified		

Propan-2-ol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rat	12800 mg/kg
LC50 inhalation rat (mg/l)	72.6 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 5.5 - 7.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 5.5 - 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable

OFOTION 40

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Harmful if swallowed.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Repeated and/or prolonged skin contact may cause irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.

SECTION 12: Ecological information		
12.1. Toxicity		
Propan-2-ol (67-63-0)		
LC50 fish	4200 mg/l 96 h	
LC50 other aquatic organisms	1400 mg/l 48 h (Crustaceans)	
12.2. Persistence and degradability		
DECON-AHOL WFI Formula		
Persistence and degradability	Rapidly degradable.	
12.3. Bioaccumulative potential		
DECON-AHOL WFI Formula		
Bioaccumulative potential	Low bioaccumulation potential.	
Propan-2-ol (67-63-0)		
Bioconcentration factor (BCF REACH)	3	
12.4. Mobility in soil		
DECON-AHOL WFI Formula		
Ecology - soil	Very mobile.	
12.5. Other adverse effects		
Other information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		

13.1. Waste treatment methods			
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point.		
Additional information	: Handle empty containers with care because residual vapors are flammable.		
Ecology - waste materials	: Avoid release to the environment.		
<b>SECTION 14: Transport information</b>			

In accordance with DOT	
UN-No.(DOT)	: 1219
DOT Proper Shipping Name	: Isopropanol
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT)	: II - Medium Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
Transport by sea	
UN-No. (IMDG)	: 1219
Proper Shipping Name (IMDG)	: Isopropanol
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No.(IATA)	: 1219
Proper Shipping Name (IATA)	: Isopropanol
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency (68959-2) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below in Section 16. The pesticide label also includes other important information, including directions for use.

This product is registered in Canada and has Health Canada DIN #02351374.

Propan-2-ol (67-63-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants List	Not regulated	
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration	Isopropyl alcohol 1.0%	
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance	Isopropyl alcohol	
CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)	Isopropyl alcohol: 100	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated	

#### 15.2. International regulations

#### CANADA

DECON-AHOL WFI Formula	
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

#### **National regulations** 15.2.2.

No additional information available

#### **DECON-AHOL WFI Formula**

Drug Enforcement Administration (DEA) (21 CFR1308.11-15): Not controlled

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

US - California Hazardous Substances (Director's): Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

US - New Jersey RTK - Substances: Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List Isopropyl alcohol (CAS 67-63-0) Listed.

Revision date       : 02/08/2017         Other information       : This product is registered by the United States Environmental Protection Agency under number 68959-2. The hazard classification assigned by the US EPA is: DANGER FLAMMABLE Keep away from heat or open flame. Store at room temperature below 48.8°C (120°F).         NFPA health hazard       : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.         NFPA fire hazard       : 3 - Liquids and solids that can be ignited under almost all ambient conditions.         NFPA reactivity       : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	SECTION 16: Other information	
NINGER FLAMMABLE       Neep away from heat or open flame.         Store at room temperature below 48.8°C (120°F).         NFPA health hazard       : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.         NFPA fire hazard       : 3 - Liquids and solids that can be ignited under almost all ambient conditions.         NFPA reactivity       : 0 - Normally stable, even under fire exposure conditions,	Revision date	: 02/08/2017
injury even if no treatment is given.         NFPA fire hazard       : 3 - Liquids and solids that can be ignited under almost all ambient conditions.         NFPA reactivity       : 0 - Normally stable, even under fire exposure conditions,	Other information	under number 68959-2. The hazard classification assigned by the US EPA is: DANGER FLAMMABLE Keep away from heat or open flame.
ambient conditions. NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,	NFPA health hazard	
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,	NFPA fire hazard	ambient conditions
	NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions,
HMIS III Rating	HMIS III Rating	
Health : 1* Slight Hazard - Irritation or minor reversible injury possible,* Chronic Hazard - Chronic (long- term) health effects may result from repeated overexposure	Health	
Flammability : 3 Serious Hazard	Flammability	: 3 Serious Hazard
Physical : 0 Minimal Hazard	Physical	: 0 Minimal Hazard
Personal Protection : G	Personal Protection	: G

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.