

PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

1 PRODUCT AND COMPANY IDENTIFICATION

Atogias Sheet

ATOFINA Chemicals, Inc.

2000 Market Street

Philedelphia, PA 19103

Information Telephone Numbers

Atoglas Customer Service

EMERGENCY PHONE NUMBERS:

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison Control Center

(303) 623-5718 (24Hrs)

Phone Number

Available Hrs

(800) 523-1532

8:00 am - 8:00pm EST

Product Name

PLEXIGLAS (R) MC Acrylic Sheet

Product Synonym(s)

Chemical Family Chemical Formula Acrylic Copolymer

Chemical Name

See Ingredients

EPA Reg Num Product Use

2	COMPOSITION	/ INFORMATION	ON	INGREDIENTS
---	-------------	---------------	----	-------------

Ingredient Name	CAS RegistryNumber	Typical Wt. %	OSHA	
2-Propenoic acid, 2-methyl-methyl ester, polymer with ethyl 2-propenoate	9010-88-2	MUMINIM S.EE	N	
Methyl methaciylate	80-62-6	0.5 MAXIMUM	Y	
Elhyl acrylate	140-88-5	<0.1	Y	

The substance(s) marked with a "Y" in the OSHA column, are identified as hazardous chemicals according to the criteria of the OSHA Communication Standard (29 CFR 1910.1200)

While this material is not classified as hazardous under Federal OSHA regulations, this MSDS contains valuable Information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

The components of this product are all on the TSCA inventory list.

3 HAZARDS IDENTIFICATION

Emergency Overview

Clear to opaque sheet in various colors. Odorless.

CAUTIONI

MAY CAUSE EYE AND SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Potential Health Effects

Skin contact and inhalation of dust are expected to be the primary routes of occupational exposure to this material. As a finished product, it is a synthetic, high molecular weight polymer pallet. Due to its chemical and physical properties, this material does not require special handling other than the good industrial hygiene and safety practices employed with any industrial material of this type.



PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

4 FIRST AID MEASURES

IF IN EYES, immediately flush with plenty of water. Get medical attention if imitation persists

IN CASE OF CONTACT, flush the area with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if imitation develops and persists.

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

5 FIRE FIGHTING MEASURES

Fire and Explosive Properties

Auto-Ignition Temperature

>400 C/752 F

Flash Point

NA NA Flash Point Method

Flammable Limits- Upper

Lower

NA

Extinguishing Media

Use water spray, carbon dioxide, foam or dry chemical.

Fire Fighting Instructions

Fire fighters and others who may be exposed to products of combustion should wear full fine fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand NIOSH approved or equivalent). Fire fighting equipment should be thoroughly decontaminated after use.

Fire and Explosion Hezards

Heated material can form flammable vapors with air.

6 ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Contain split. Sweep or scoop up and remove to suitable container. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

7 HANDLING AND STORAGE

Handling

Avoid temperature extremes during storage; ambient temperature preferred.

Storage

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container closed. Use only with adequate ventilation.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION



PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Investigate engineering techniques to reduce exposures below airborne exposure limits. Provide ventilation if necessary to control exposure levels below airborne exposure limits (see below). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

Eye / Face Protection

Use good industrial practice to avoid eye contact.

Skin Protection

Wear appropriate chemical resistant protective clothing and chemical resistant gloves to prevent skin contact. Consult glove manufacturer to determine appropriate type glove material for given application. Rinse contaminated ekin promptly. Wash contaminated clothing and clean protective equipment pefore reuse. Wash skin thoroughly after handling.

Respiratory Protection

Avoid breathing dust. When airborne exposure limits are exceeded (see below), use NIO\$H approved respiratory protection equipment appropriate to the material and/or its components. Consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use !lmitations specified by NIO\$H or the manufacturer. For emergency and other conditions where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

Airborne Exposure Guidelines for Ingradients

Exposure Limit		i Value	
Ethyl acrylate			
ACGIH STEL		15 ppm; 61 rng/m3	
ACGIH TWA		5 ppm 20 mg/m3	
OSHA Skin designator		Y	
OSHA TWA PEL		25 ppm 100 mg/m3	
Methyl methacrylate			
ACGIH Sensitizer designator		Y	
ACGIH STEL		100 ppm (410 mg/m3)	
ACGIH TWA		50 ppm (205 mg/m3)	
OSHA TWA PEL		100 ppm (410 mg/m3)	
-Only those components with excess to live	mile are orioted in this service		

⁻Only those components with exposure limits are printed in this section.

⁻Skin contact limits designated with a "Y" above have skin contact effect. Air sempling alone is insufficient to accurately quantilate exposure. Measures to prevent significant cutsned absorption may be required.

⁻ACGIH Sensitizer designator with a value of "Y" above means that exposure to this material may cause effergic reactions.



PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

Appearance/Odor	Clear to opaque sheet in various colors. Od	nless.
pH	na	
Specific Gravity	1.15 to 1.19	
Vapor Pressure	'NA	
Vapor Density	NA	1
Melting Point	132 C/270 F	
Freezing Point	NA	
Bolting Point	NA :	
Solubility in Water	insoluble	
Percent Volatile	0	
10 STABILITY AND REA	спиту	
Stability		1
	ble under normal and anticipated storage and handling co	ndikona
	ore differ from a receipt and side and handling co	IQIDOUS.
Hazardoua Polymerization		
Does not occur.		l i
Prolonged contact with acids, a	rikalies and strong oxidizing agents may attack or dissolve	the polyme
Prolonged contact with acids, a Hexardous Decomposition Fi Thermal decomposition may ye	roducts ild acrylic monomers.	the polyme
Hazardous Decomposition F Thermal decomposition may ye 11 TOXICOLOGICAL INF	roducts ild acrylic monomers.	the polyme
Prolonged contect with acids, a Hazardous Decomposition in Thermal decomposition may you see the Toxicological Information	roducts ild acrylic monomers.	the polymer
Prolonged contect with acids, a Hazardous Decomposition in Thermal decomposition may you see the Toxicological Information	roducts ild acrylic monomers.	the polyme
Prolonged contect with acids, a Hazardous Decomposition in Thermal decomposition may you see the Toxicological Information	roducts ild acrylic monomers. ORMATION	the polymer
Prolonged contact with acids, a Hazardous Decomposition in Thermal decomposition may yet 11 TOXICOLOGICAL INFORMATION No data are available.	roducts ild acrylic monomers. ORMATION	the polymer
Prolonged contact with acids, a Hazardous Decomposition of Thermal decomposition may yet 11 TOXICOLOGICAL INFOXICOLOGICAL INFO	roducts ild acrylic monomers. ORMATION	the polymen
Prolonged contact with acids, a Mazardous Decomposition of Thermal decomposition may yet 11 TOXICOLOGICAL INFO Coxicological Information No data are available. 12 ECOLOGICAL INFOR Ecotoxicological Information No data are available.	roducts ild acrylic monomers. ORMATION	the polymer
Prolonged contact with acids, a Hazardous Decomposition of Thermal decomposition may yet at 11 TOXICOLOGICAL INFO Coxicological information No data are available. 12 ECOLOGICAL INFOR Ecotoxicological information No data are available. Chemical Fata Information	roducts ild acrylic monomers. ORMATION	the polymer
Prolonged contact with acids, a Hazardous Decomposition of Thermal decomposition may yet at 11 TOXICOLOGICAL INFO Coxicological information No data are available. 12 ECOLOGICAL INFOR Ecotoxicological information No data are available. Chemical Fata Information	Products ild acrylic monomers. ORMATION MATION	the polymer
Prolonged contact with acids, a Mazardous Decomposition of Thermal decomposition may yet 11 TOXICOLOGICAL INFO Contrological Information No data are available. 12 ECOLOGICAL INFOR Ecotoxicological Information No data are available. Chemical Fate Information No data are available.	Products ild acrylic monomers. ORMATION MATION	the polyme



PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

14 TRANSPORT INFORMATION					
DOT Name DOT Technical Name DOT Hazard Class UN Number	NOT REGULATED				
OOT Packing Group	PG				
15 REGULATORY INFORM	ATION				
lazard Categories Under Crite	ria of SARA Title IIII Rules (40 CI	FR Part 370)			
mmediate (Acute) Health Y Delayed (Chronic) Health N	Fire Reactive Sudden Release of Pressure	2 2			
The components of this product	are all on the TSCA inventory list.				
ngredient Related Regulatory	Information:				
SARA Reportable Quantities		CERCLA RQ	SARA TPQ		
Elhyl acrylate		1000 LBS	NE		
Methyl methacrylate		1000 LBS			
2-Propenoic acid, 2-methyl-met propenoate	hyt aster, polymer with ethyl 2-	NE			
	which are defined as toxic chemicals under noments and Reauthorization Act of 986 an				
Ethyl acrylale					
Methyl methacrylate					
California Prop 65 - Carcinogo This product does contain the following Ethyl acrylate	en chemical(s), as indicated below, currently o	on the California list of Kn	own Carcinogens		
List.	v chemicals(s), as indicated below, currently	on the Massachusetts R	ght to Know Substance		
Ethyl acrylate Methyl methacrylate					
New Jersey Right to Know					
This product does contain the following Ethyl acrylate	chemical(s), as indicated below, currently o	n the New Jersey Right-	b-Know Substances List.		
Methyl methacrylate	u				
Euryl acrylate	Hazerd chemical(s), as indicated below, currently o	n the Pennsylvania Envir	onmental Hezard List.		
Methyl methacrylate					
Pennsylvania Right to Know					



PLEXIGLAS (R) MC Acrylic Sheet

Material Safety Data Sheet ATOFINA Chemicals, Inc.

Pennsylvania Right to Know

This product does contain the following chemical(s), as indicated below, currently on the Pennsylvania Hecardo is Substance List.

Ethyl acrylate

Methyl methacrylate

Pennsylvania Special Hazard

The product does contain the following chemical(a), as indicated below, currently on the Pennsylvania Special Flazard List

Ethyl acrylate

16 OTHER INFORMATION

Revision Information

Revision Date

29 JUN 2000

Revision Number 10

Supercedes Revision Dated 16-JUN-2000

Revision Summary

Key

NE= Not Established NA= Not Applicable (R) = Registered Trademark

ATOFINA Chemicals, Inc. believes that the information and recommendations contained herain (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and mathods of use are beyond the control of ATOFINA Chemicals, ATOFINA Chemicals expressly disclaims any and all hability as to any results obtained or arising from any use of the product or reliance on such information.